Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2013 - June 30, 2014

Filing Deadline: July 15, 2014

Filing Date: 07/16/2014 09:05 PM

Filing Confirmation Number: 0006379337

FRN: 0005810205

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

Company Information

Company Name:	Samsung Telecommunications America
Brand Names:	Samsung
PO Box:	
Street Address:	1301 E. Lookout Drive
City:	Richardson
State:	TX
Zip Code:	75082

Contact Name:	Kendra M. Green
Contact Phone:	(972) 761-7123
Contact Fax:	
Contact Email:	k.green@samsung.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?

Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?
Yes

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?
 Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address:
http://www.samsung.com/us/consumer/learningresources/mobile/accessibility/pop_accessibility.html
Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Samsung attended the 2014 Hearing Loss Association of American Convention demonstrating eight M3 and T3 or better rated handsets. Samsung provided Samsung Wireless Accessibility handouts with HAC designated agent contact information listed on the handout. In addition, Samsung has a website for accessibility that includes list HAC ratings for and posting estimated M1 and M2 information for non HAC devices. Samsung's website also provides information that enables customers to contact and speak to a designated agent for HAC. Samsung's website also helps to explain the meaning of M and T-coil ratings.

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 30

Report Remarks

You have reported the following handset model summary information.
Total number of handsets offered: 94

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	Number	
GSM	26	49%	22	42%	5	9%		53
CDMA	34	61%	22	39%				56
WCDMA	25	53%	19	40%	3	6%		47

Handset 1: Samsung Galaxy Express

Handset Maker

Samsung

Handset Model Name FCC ID

Handset Model Name	FCC ID
Galaxy Express	A3LSGHI437
SGH-I437P	A3LSGHI437
SGH-I437Z	A3LSGHI437

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 09/07/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 09/07/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

WLAN 5500 MHz support

Handset 2: Samsung i547

Handset Maker

Samsung

Handset Model Name FCC ID

Handset Model Name	FCC ID
i547	A3LSGHI547

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz EDGE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
1900 MHz EDGE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 07/24/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 3: Samsung M270

Handset Maker

Samsung

Handset Model Name	**FCC ID**
M270	A3LSPHM270

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 07/13 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 06/14/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/14/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 4: Samsung M390

Handset Maker

Samsung

Handset Model Name	FCC ID
M390	A3LSPHM390

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
820 MHz CDMA

Dates

This handset model was offered from: 07/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 06/13/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/13/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 5: Samsung M400

Handset Maker

Samsung

Handset Model Name   **FCC ID**

M400   A3LSPHM400

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
820 MHz CDMA

Dates

This handset model was offered from: 07/13 to 07/13

Ratings

M-Rating: M4

M-Rating Certification Date: 07/25/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 07/25/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 6: Samsung M830

Handset Maker

Samsung

Handset Model Name   **FCC ID**

M830   A3LSPHM830

Air Interfaces/Frequency Bands

1900 MHz CDMA
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/13 to 02/14

Ratings

M-Rating: M4

M-Rating Certification Date: 07/31/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 07/31/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

WLAN 5500 MHZ support

Handset 7: Samsung M950

Handset Maker

Samsung

Handset Model Name	FCC ID
M950	A3LSPHM950

Air Interfaces/Frequency Bands

1900 MHz CDMA
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/13 to 09/13

Ratings

M-Rating: M4

M-Rating Certification Date: 08/03/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 08/03/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

WLAN 5500 MHz supported

Handset 8: Samsung S730G

Handset Maker

Samsung

Handset Model Name	FCC ID
S730G	A3LSGHS730G

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
850 MHz EDGE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz EDGE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/13 to 04/14

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 9: Samsung S959G

Handset Maker

Samsung

Handset Model Name	FCC ID
S959G	A3LSGHI777

Air Interfaces/Frequency Bands

900 MHz GSM
900 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi
5800 MHz Wi-Fi
5200 MHz Wi-Fi
5300 MHz Wi-Fi

Dates

This handset model was offered from: 07/13 to 08/13

Ratings

M-Rating: M3

M-Rating Certification Date: 07/28/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

5500 MHZ WLAN SUPPORTED

Handset 10: Samsung SCH-i110

Handset Maker

Samsung

Handset Model Name	FCC ID
SCH-i110	A3LSCHI110

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz WiMax
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/13 to 12/13

Ratings

M-Rating: M4

M-Rating Certification Date: 08/19/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz supported

Handset 11: Samsung SCH-I200

Handset Maker

Samsung

Handset Model Name	FCC ID
SCH-I200	A3LSCHI200

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/13 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 06/22/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz support

Handset 12: Samsung SCH-i415

Handset Maker

Samsung

Handset Model Name	FCC ID
SCH-i415	A3LSCHI415

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
1900 MHz GSM
1900 MHz CDMA
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/13 to 12/13

Ratings

M-Rating: M3

M-Rating Certification Date: 07/20/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz also supported

Handset 13: Samsung SCH-I435

Handset Maker

Samsung

Handset Model Name	FCC ID
SCH-I435	A3LSCHI435
SCH-I435L	A3LSCHI435

Air Interfaces/Frequency Bands

800 MHz CDMA
800 MHz LTE
850 MHz GSM
850 MHz WCDMA

1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi
5800 MHz Wi-Fi
5200 MHz Wi-Fi
5300 MHz Wi-Fi

Dates

This handset model was offered from: 10/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 10/17/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 10/17/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

5500 MHZ WLAN SUPPORTED

Handset 14: Samsung SCH-I535

Handset Maker

Samsung

Handset Model Name	FCC ID
SCH-I535	A3LSCHI535
SCH-R530X	A3LSCHI535
SCH-S968C	A3LSCHI535

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
1900 MHz GSM
1900 MHz CDMA
2.4 GHz WLAN
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/13 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 06/01/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz supported

Handset 15: Samsung SCH-I545

Handset Maker

Samsung

Handset Model Name	FCC ID
SCH-I545	A3LSCHI545
SCH-I545L	A3LSCHI545

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 03/29/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz supported

Handset 16: Samsung SCH-I605

Handset Maker

Samsung

Handset Model Name	FCC ID
SCH-I605	A3LSCHI605

Air Interfaces/Frequency Bands

800 MHz CDMA
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/13 to 04/14

Ratings

M-Rating: M3

M-Rating Certification Date: 09/28/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz supported

Handset 17: Samsung SCH-i930

Handset Maker

Samsung

Handset Model Name	FCC ID
SCH-i930	A3LSCHI930

Air Interfaces/Frequency Bands

800 MHz CDMA
800 MHz LTE
850 MHz GSM
1900 MHz GSM
1900 MHz CDMA
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/13 to 01/14

Ratings

M-Rating: M3

M-Rating Certification Date: 11/21/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz supported

Handset 18: Samsung SCH-R220

Handset Maker

Samsung

Handset Model Name	FCC ID
SCH-R220	A3LSCHR220
SCH-R220G	A3LSCHR220

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/13 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 01/31/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 01/31/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 19: Samsung SCH-R270X

Handset Maker

Samsung

Handset Model Name	FCC ID
SCH-R270X	A3LSCHR270

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/13 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 04/23/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 04/23/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 20: Samsung SCH-R390

Handset Maker

Samsung

Handset Model Name	FCC ID
SCH-R390	A3LSCHR390
SCH-R390C	A3LSCHR390

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/13 to 12/13

Ratings

M-Rating: M4

M-Rating Certification Date: 04/16/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 04/16/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 21: Samsung SCH-R480

Handset Maker

  Samsung

Handset Model Name	**FCC ID**
SCH-R480	A3LSCHR480

Air Interfaces/Frequency Bands

  800 MHz CDMA
  1700 MHz CDMA
  1900 MHz CDMA

Dates

  This handset model was offered from: 07/13 to 06/14

Ratings

  M-Rating: M4

  M-Rating Certification Date: 04/02/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 04/02/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 22: Samsung SCH-R480C

Handset Maker

Samsung

Handset Model Name	FCC ID
SCH-R480C	A3LSCHR480C
SCH-R480X	A3LSCHR480C

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz AWS
1900 MHz CDMA

Dates

This handset model was offered from: 09/13 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 04/11/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 04/11/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 23: Samsung SCH-R530

Handset Maker

Samsung

Handset Model Name	FCC ID
SCH-R530	A3LSCHR530

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
1700 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/13 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 06/28/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/28/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

WLAN 5500 MHz supported

Handset 24: Samsung SCH-R530C

Handset Maker

Samsung

Handset Model Name	FCC ID
SCH-R530C	A3LSCHR530M
SCH-R530M	A3LSCHR530M

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz LTE
1700 MHz AWS
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/13 to 04/14

Ratings

M-Rating: M4

M-Rating Certification Date: 09/21/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 09/21/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

WLAN 5500 MHz supported

Handset 25: Samsung SCH-R740C

Handset Maker

Samsung

Handset Model Name	FCC ID
SCH-R740C	A3LSCHR740C

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz AWS
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/13 to 04/14

Ratings

M-Rating: M4

M-Rating Certification Date: 03/12/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 03/12/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 26: Samsung SCH-R760X

Handset Maker

Samsung

Handset Model Name   **FCC ID**

SCH-R760X   A3LSCHR760

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/13 to 07/13

Ratings

M-Rating: M4

M-Rating Certification Date: 01/13/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 01/13/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

WLAN 5500 MHz supported

Handset 27: Samsung SCH-R830

Handset Maker

Samsung

Handset Model Name   **FCC ID**

SCH-R830   A3LSCHR830

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/13 to 08/13

Ratings

M-Rating: M4

M-Rating Certification Date: 10/25/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz supported

Handset 28: Samsung SCH-R830C

Handset Maker

Samsung

Handset Model Name	FCC ID
SCH-R830C	A3LSCHR830C

Air Interfaces/Frequency Bands

700 MHz CDMA
1700 MHz CDMA
1700 MHz LTE
1800 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5800 MHz WLAN
5300 MHz WLAN
5500 MHz WLAN

Dates

This handset model was offered from: 07/13 to 01/14

Ratings

M-Rating: M4

M-Rating Certification Date: 04/03/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

5500 MHZ WLAN SUPPORTED

Handset 29: Samsung SCH-R860U

Handset Maker

Samsung

Handset Model Name	FCC ID
SCH-R860U	A3LSCHR860U

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
1700 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/13 to 01/14

Ratings

M-Rating: M4

M-Rating Certification Date: 04/03/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz supported

Handset 30: Samsung SCH-R890

Handset Maker

Samsung

Handset Model Name   FCC ID

SCH-R890   A3LSCHR890

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz LTE
1900 MHz CDMA
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 10/13 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 10/17/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 10/17/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

5500 MHZ WLAN SUPPORTED

Handset 31: Samsung SCH-R970

Handset Maker

Samsung

Handset Model Name	FCC ID
SCH-R970	A3LSCHR970

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
1700 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.5 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/13 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 03/27/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz supported

Handset 32: Samsung SCH-R970X

Handset Maker

Samsung

Handset Model Name	FCC ID
SCH-R970X	A3LSCHR970C

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/13 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 05/03/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz supported

Handset 33: Samsung SCH-S735C

Handset Maker

Samsung

Handset Model Name   FCC ID

SCH-S735C   A3LSCHS735C

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 07/13 to 10/13

Ratings

M-Rating: M4

M-Rating Certification Date: 10/12/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 10/12/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 34: Samsung SCH-S738C

Handset Maker

Samsung

Handset Model Name   FCC ID

SCH-S738C   A3LSCHS738C

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/13 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 01/03/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 01/03/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 35: Samsung SCH-S336C

Handset Maker

Samsung

Handset Model Name	FCC ID
SCH-S336C	A3LSCHU365
SCH-U365	A3LSCHU365

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/13 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 01/30/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 01/30/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 36: Samsung SCH-U380

Handset Maker

Samsung

Handset Model Name	**FCC ID**
SCH-U380	A3LSCHU380

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/13 to 12/13

Ratings

M-Rating: M4

M-Rating Certification Date: 06/10/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 37: Samsung SCH-U485

Handset Maker

Samsung

Handset Model Name	**FCC ID**

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/13 to 03/14

Ratings

M-Rating: M4

M-Rating Certification Date: 02/28/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 38: Samsung SCH-u660

Handset Maker

Samsung

Handset Model Name	FCC ID
SCH-u660	A3LSCHU660

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/13 to 08/13

Ratings

M-Rating: M4

M-Rating Certification Date: 04/15/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 04/15/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 39: Samsung SCH-U680

Handset Maker

Samsung

Handset Model Name	**FCC ID**
SCH-U680	A3LSCHU680

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/13 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 03/15/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 03/15/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 40: Samsung SGH-A157

Handset Maker

Samsung

Handset Model Name	**FCC ID**

SGH-A157   A3LSGHA157

Air Interfaces/Frequency Bands

  800 MHz WCDMA
  850 MHz GSM
  1900 MHz GSM
  1900 MHz WCDMA

Dates

  This handset model was offered from: 07/13 to 08/13

Ratings

  M-Rating: M4

  M-Rating Certification Date: 02/16/12

  Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

  Version of the ANSI C63.19 standard used during the certification process: 2007

  T-Rating:

  T-Rating Certification Date:

  Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 41: Samsung SGH-A157V

Handset Maker

  Samsung

Handset Model Name   **FCC ID**

  SGH-A157V   A3LSGHA157V

Air Interfaces/Frequency Bands

  850 MHz GSM
  850 MHz WCDMA
  850 MHz EDGE
  1900 MHz GSM
  1900 MHz WCDMA
  1900 MHz EDGE

Dates

  This handset model was offered from: 08/13 to 06/14

Ratings

  M-Rating: M3

  M-Rating Certification Date: 07/23/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 42: Samsung SGH-A847

Handset Maker

Samsung

Handset Model Name	**FCC ID**
SGH-A847	A3LSGHA847

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/13 to 07/13

Ratings

M-Rating: M3

M-Rating Certification Date: 04/09/10

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 04/09/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 43: Samsung SGH-A997

Handset Maker

Samsung

Handset Model Name	**FCC ID**
SGH-A997	A3LSGHA997

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 07/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 10/19/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 10/19/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 44: Samsung SGH-I257

Handset Maker

Samsung

Handset Model Name	**FCC ID**
SGH-I257	A3LSGHI257
SM-S890L	A3LSGHI257

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi

5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 03/14 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 09/13/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/13/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

5500 MHZ WLAN SUPPORTED

Handset 45: Samsung SGH-I317

Handset Maker

Samsung

Handset Model Name	FCC ID
SGH-I317	A3LSGHI317

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
850 MHz EDGE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
1900 MHz EDGE
2.5 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 09/28/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

5500 MHZ WLAN SUPPORTED

Handset 46: Samsung SGH-I337

Handset Maker

Samsung

Handset Model Name	FCC ID
SGH-I337	A3LSGHI337
SGH-I337Z	A3LSGHI337
SM-S975L	A3LSGHI337

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 04/01/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz supported

Handset 47: Samsung SGH-I407

Handset Maker

Samsung

Handset Model Name   FCC ID

SGH-I407   A3LSGHI407

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/13 to 03/14

Ratings

M-Rating: M3

M-Rating Certification Date: 01/09/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 01/09/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 48: Samsung SGH-I537

Handset Maker

Samsung

Handset Model Name   **FCC ID**

SGH-I537   A3LSGHI537

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/13 to 04/14

Ratings

M-Rating: M3

M-Rating Certification Date: 05/29/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz supported

Handset 49: Samsung SGH-I747

Handset Maker

Samsung

Handset Model Name   **FCC ID**

SGH-I747   A3LSGHI747

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM

850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/13 to 03/14

Ratings

M-Rating: M3

M-Rating Certification Date: 05/26/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz supported

Handset 50: Samsung SGH-I847

Handset Maker

Samsung

Handset Model Name	FCC ID
SGH-I847	A3LSGHI847

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 07/13 to 07/13

Ratings

M-Rating: M3

M-Rating Certification Date: 01/10/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 51: Samsung SGH-M919

Handset Maker

Samsung

Handset Model Name	FCC ID
SGH-M919	A3LSGHM919
SGH-M919N	A3LSGHM919
SGH-S970G	A3LSGHM919
SGT-I9505G	A3LSGHM919

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5800 MHz Wi-Fi
5200 MHz Wi-Fi
5300 MHz Wi-Fi

Dates

This handset model was offered from: 07/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 04/05/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

5500 MHZ WLAN SUPPORTED

Handset 52: Samsung SGH-S125G

Handset Maker

Samsung

Handset Model Name	**FCC ID**
SGH-S125G	A3LSGHS125G

Air Interfaces/Frequency Bands

850 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 07/13 to 06/14

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 53: Samsung SGH-S150G

Handset Maker

Samsung

Handset Model Name	**FCC ID**

SGH-S150G   A3LSGHS150G

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 07/13 to 06/14

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 54: Samsung SGH-A207

Handset Maker

Samsung

Handset Model Name	**FCC ID**
SGH-A207	A3LSGHS275G
SGH-S275G	A3LSGHS275G

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 07/13 to 05/14

Ratings

M-Rating: M3

M-Rating Certification Date: 07/27/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 07/27/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 55: Samsung SGH-S425G

Handset Maker

Samsung

Handset Model Name	FCC ID
SGH-S425G	A3LSGHA667

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 07/13 to 11/13

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 56: Samsung SGH-T189N

Handset Maker

Samsung

Handset Model Name **FCC ID**

SGH-T189N A3LSGHT189N

Air Interfaces/Frequency Bands

850 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 07/13 to 03/14

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 57: Samsung SGH-T199

Handset Maker

Samsung

Handset Model Name **FCC ID**

SGH-T199 A3LSGHT199

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
850 MHz EDGE
1700 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
1900 MHz EDGE

Dates

This handset model was offered from: 04/14 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 01/29/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 58: Samsung SGH-T289

Handset Maker

Samsung

Handset Model Name	FCC ID
SGH-T289	A3LSGHT289

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 07/13 to 10/13

Ratings

M-Rating: M3

M-Rating Certification Date: 03/20/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 03/20/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 59: Samsung SGH-T399

Handset Maker

Samsung

Handset Model Name	**FCC ID**
SGH-T399	A3LSGHT399

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz EDGE
1700 MHz LTE
1800 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
1900 MHz EDGE
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 09/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 09/13/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/13/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

5500 MHZ WLAN SUPPORTED

Handset 60: Samsung SGH-T599

Handset Maker

Samsung

Handset Model Name	FCC ID
SGH-T599	A3LSGHT599
SGH-T599N	A3LSGHT599

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 01/25/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 01/25/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 61: Samsung SGH-T699

Handset Maker

Samsung

Handset Model Name   FCC ID

SGH-T699   A3LSGHT699

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/13 to 10/13

Ratings

M-Rating: M3

M-Rating Certification Date: 07/11/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 07/11/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

WLAN 5500 MHz supported

Handset 62: Samsung SGH-T769

Handset Maker

Samsung

Handset Model Name   FCC ID

SGH-T769   A3LSGHT769

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/13 to 08/13

Ratings

M-Rating: M3

M-Rating Certification Date: 02/13/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 02/13/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 63: Samsung SGH-T889

Handset Maker

Samsung

Handset Model Name	FCC ID
SGH-T889	A3LSGHT889

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/13 to 05/14

Ratings

M-Rating: M3

M-Rating Certification Date: 09/28/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz supported

Handset 64: Samsung SGH-T989

Handset Maker

Samsung

Handset Model Name

Handset Model Name	FCC ID
SGH-T989	A3LSGHT989

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/13 to 08/13

Ratings

M-Rating: M3

M-Rating Certification Date: 08/25/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/25/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

WLAN 5500 MHz supported

Handset 65: Samsung SGH-T999L

Handset Maker

Samsung

Handset Model Name	FCC ID
SGH-T999L	A3LSGHT999L
SGH-T999N	A3LSGHT999L

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 03/04/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz supported

Handset 66: Samsung SGHi187

Handset Maker

Samsung

Handset Model Name	FCC ID
SGHi187	A3LSGHI187

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 10/13 to 10/13

Ratings

M-Rating: M3

M-Rating Certification Date: 09/13/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 09/13/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

5500 MHZ WLAN SUPPORTED

Handset 67: Samsung SM-B311V

Handset Maker

Samsung

Handset Model Name	FCC ID
SM-B311V	A3LSMB311V

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 03/14 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 01/21/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 01/21/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 68: Samsung SM-G730A

Handset Maker

Samsung

Handset Model Name	FCC ID

SM-G730A   A3LSMG730A

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz EDGE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
1900 MHz EDGE
2.4 GHz Wi-Fi
5800 MHz Wi-Fi
5200 MHz Wi-Fi
5300 MHz Wi-Fi

Dates

This handset model was offered from: 08/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 08/08/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 08/08/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

5.5 GHZ WLAN SUPPORTED

Handset 69: Samsung SM-G730V

Handset Maker

Samsung

Handset Model Name   **FCC ID**

SM-G730V   A3LSMG730V

Air Interfaces/Frequency Bands

800 MHz CDMA
800 MHz LTE
1900 MHz CDMA
2.4 GHz Wi-Fi
5800 MHz Wi-Fi
5200 MHz Wi-Fi
5300 MHz Wi-Fi

Dates

This handset model was offered from: 10/13 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 10/17/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 10/17/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

5500 MHZ WLAN SUPPORTED

Handset 70: Samsung SM-G870A

Handset Maker

Samsung

Handset Model Name	FCC ID
SM-G870A	A3LSMG870A

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz EDGE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
1900 MHz EDGE
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 05/14 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 05/08/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 05/08/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

5500 MHZ WLAN SUPPORTED

Handset 71: Samsung SM-G900A

Handset Maker

Samsung

Handset Model Name	FCC ID
SM-G900A	A3LSMG900A

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 03/14 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 03/07/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/07/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

5500 MHZ WLAN SUPPORTED

Handset 72: Samsung SM-G900P

Handset Maker

Samsung

Handset Model Name	FCC ID
SM-G900P	A3LSMG900P

Air Interfaces/Frequency Bands

800 MHz CDMA
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.5 GHz LTE
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 03/14 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 03/07/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/07/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

5500 MHZ WLAN SUPPORTED
820 CDMA SUPPORTED

Handset 73: Samsung SM-G900R4

Handset Maker

Samsung

Handset Model Name   FCC ID

SM-G900R4   A3LSMG900R4

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 03/14 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 03/10/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/10/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

5500 MHZ WLAN SUPPORTED

Handset 74: Samsung SM-G900R7

Handset Maker

Samsung

Handset Model Name	FCC ID
SM-G900R7	A3LSMG900R7

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 05/14 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 04/21/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 04/21/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

5500 MHZ WLAN SUPPORTED

Handset 75: Samsung SM-G900T

Handset Maker

Samsung

Handset Model Name | FCC ID

Handset Model Name	FCC ID
SM-G900T	A3LSMG900T
SM-G900T1	A3LSMG900T

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
850 MHz EDGE
1700 MHz LTE
1800 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
1900 MHz EDGE
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 03/14 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 03/07/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/07/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

5500 MHZ WLAN SUPPORTED

Handset 76: Samsung SM-G900R6

Handset Maker

Samsung

Handset Model Name	FCC ID
SM-G900R6	A3LSMG900V
SM-G900V	A3LSMG900V

Air Interfaces/Frequency Bands

800 MHz CDMA
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 03/14 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 03/07/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/07/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

5500 MHZ WLAN SUPPORTED

Handset 77: Samsung SM-N900A

Handset Maker

Samsung

Handset Model Name	FCC ID
SM-N900A	A3LSMN900A

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz EDGE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
1900 MHz EDGE
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 09/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 09/11/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/11/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

5500 MHZ WLAN SUPPORTED

Handset 78: Samsung SM-N900P

Handset Maker

Samsung

Handset Model Name	FCC ID
SM-N900P	A3LSMN900P

Air Interfaces/Frequency Bands

800 MHz GSM
800 MHz CDMA
850 MHz WCDMA
850 MHz EDGE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
1900 MHz EDGE
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 09/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 09/11/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/11/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

5500 MHZ WLAN SUPPORTED
CDMA 820 MHZ SUPPORTED

Handset 79: Samsung SM-N900R4

Handset Maker

Samsung

Handset Model Name	FCC ID
SM-N900R4	A3LSMN900R4

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 09/13 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 09/11/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/11/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

5500 MHZ WLAN SUPPORTED

Handset 80: Samsung SM-N900T

Handset Maker

Samsung

Handset Model Name	FCC ID
SM-N900T	A3LSMN900T

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz EDGE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
1900 MHz EDGE
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 09/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 09/10/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/10/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

5500 MHZ WLAN SUPPORTED

Handset 81: Samsung SM-N900V

Handset Maker

Samsung

Handset Model Name	FCC ID
SM-N900V	A3LSMN900V

Air Interfaces/Frequency Bands

800 MHz CDMA
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz EDGE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz EDGE
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 09/13 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 09/10/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/10/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

5500 MHZ WLAN SUPPORTED
782 MHZ LTE SUPPORTED

Handset 82: Samsung SM-S765C

Handset Maker

Samsung

Handset Model Name	FCC ID
SM-S765C	A3LSMS765C

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 03/14 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 03/10/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/10/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 83: Samsung SM-W750V

Handset Maker

Samsung

Handset Model Name   FCC ID

SM-W750V   A3LSMW750V

Air Interfaces/Frequency Bands

800 MHz CDMA
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 04/14 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 02/07/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/07/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

5500 MHZ WLAN SUPPORTED

Handset 84: Samsung SPH-I800

Handset Maker

Samsung

Handset Model Name   FCC ID

SPH-I800   A3LSPHI800

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz GSM

850 MHz CDMA
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 08/13 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 07/09/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

5500 MHZ WLAN SUPPORTED

Handset 85: Samsung SPH-L300

Handset Maker

Samsung

Handset Model Name	FCC ID
SPH-L300	A3LSPHL300

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
1900 MHz LTE
2.4 GHz WLAN
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/13 to 03/14

Ratings

M-Rating: M4

M-Rating Certification Date: 07/18/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

820 MHz CDMA supported
WLAN 5500 MHz supported

Handset 86: Samsung SPH-L520

Handset Maker

Samsung

Handset Model Name	FCC ID
SPH-L520	A3LSPHL520

Air Interfaces/Frequency Bands

800 MHz CDMA
800 MHz LTE
850 MHz CDMA
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.5 GHz LTE
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 10/13 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 09/04/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/04/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

5500 MHZ WLAN SUPPORTED

Handset 87: Samsung SCH-L710

Handset Maker

Samsung

Handset Model Name	FCC ID
SCH-L710	A3LSPHL710
SCH-S960L	A3LSPHL710
SPH-L710	A3LSPHL710

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
1900 MHz LTE
2.4 GHz WiMax
820 MHz CDMA
5800 MHz WLAN
5200 MHz WLAN

Dates

This handset model was offered from: 07/13 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 06/01/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz supported
WLAN 5300 MHz supported

Handset 88: Samsung SPH-L710T

Handset Maker

Samsung

Handset Model Name	FCC ID
SPH-L710T	A3LSPHL710T

Air Interfaces/Frequency Bands

800 MHz CDMA
800 MHz LTE
850 MHz CDMA
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5800 MHz Wi-Fi
5200 MHz Wi-Fi
5300 MHz Wi-Fi

Dates

This handset model was offered from: 05/14 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 04/25/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

5500 MHZ WLAN SUPPORTED

Handset 89: Samsung SPH-L720

Handset Maker

Samsung

Handset Model Name	**FCC ID**
SPH-L720	A3LSPHL720

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/13 to 01/14

Ratings

M-Rating: M3

M-Rating Certification Date: 03/27/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

820 MHz CDMA supported
WLAN 5500 MHz supported

Handset 90: Samsung SPH-L720T

Handset Maker

Samsung

Handset Model Name   FCC ID

SPH-L720T   A3LSPHL720T

Air Interfaces/Frequency Bands

800 MHz CDMA
800 MHz LTE
850 MHz GSM
850 MHz CDMA
850 MHz WCDMA
850 MHz EDGE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
1900 MHz EDGE
2.4 GHz Wi-Fi
2.5 GHz LTE
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 12/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 10/21/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user

optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

5500 MHZ WLAN SUPPORTED

820 MHZ CDMA SUPPORTED

Handset 91: Samsung SPH-L900

Handset Maker

Samsung

Handset Model Name   FCC ID

SPH-L900   A3LSPHL900

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz GSM
850 MHz CDMA
850 MHz WCDMA
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/13 to 05/14

Ratings

M-Rating: M4

M-Rating Certification Date: 10/02/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

820 MHz support
5500 MHz support

Handset 92: Samsung SPH-M830

Handset Maker

Samsung

Handset Model Name	FCC ID
SPH-M830	A3LSPHM830

Air Interfaces/Frequency Bands

1900 MHz CDMA
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/13 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 07/31/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 07/31/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

5500 MHZ WLAN SUPPORTED

Handset 93: Samsung SPH-M840

Handset Maker

Samsung

Handset Model Name

SPH-M840

FCC ID

A3LSPHM840

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/13 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 04/11/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

5500 MHZ WLAN SUPPPORTED
820 MHZ CDMA SUPPORTED

Handset 94: Samsung t139

Handset Maker

Samsung

Handset Model Name

t139

FCC ID

A3LSGHT139

Air Interfaces/Frequency Bands

850 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 07/13 to 04/14

Ratings

M-Rating: M3

M-Rating Certification Date: 12/29/09

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 12/29/09

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Certification

This Report has been certified by:

Kendra M Green Regulatory Compliance Manager
07/16/2014 09:05 PM